










- * 3 :自动空调
- * 4 :手动空调
- * 5 :带 VSC
- * 6 :不带 VSC




E11
空调放大器总成










A13
空调压力传感器



E43 (A)
空调放大器总成





90980-12A38

A diagram of a 24-key keyboard layout. The keys are arranged in two rows. The top row contains 12 keys numbered 1 through 12 from left to right. The bottom row contains 12 keys numbered 13 through 24 from left to right. The keys are represented by small rectangles with their respective numbers inside. The keyboard frame is shown as a simple outline with some internal structural lines.

90980-12912

A diagram of a 40-key keyboard layout. The keys are arranged in two rows of 20 keys each. The top row contains keys numbered 1 through 20, and the bottom row contains keys numbered 21 through 40. The keyboard is shown from a top-down perspective, with the keys represented by small rectangles. The layout is symmetrical, with a central gap between the two rows of keys.

90980-12557

90980-12372

A diagram of a lock cylinder with two pins, labeled 1 and 2, positioned horizontally. The pins are shown in a cross-section view, with pin 1 on the left and pin 2 on the right. The cylinder has a keyhole at the top and a keyhole at the bottom.


90980-10928

The floor plan shows a large hall with a grid of numbered tables. The tables are arranged in three main sections: a large section on the left, a smaller section in the middle, and a large section on the right. Each table is numbered from 1 to 56. The layout is symmetrical around a central vertical axis.


1	2	3	4	5	6	7	8	9	10	11	12	13	14							
15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56

90980-12A15

AE4
黑色




90980-12741




90980-12740

AE8
灰色



90980-12372



90980-12371