



© Automobili Lamborghini S.p.A.

The information and procedures published below are strictly confidential and exclusively for the Lamborghini Dealer Network and Authorized Service Points. All copyrights are property of Automobili Lamborghini S.p.A based on copyright law. All of the PDF chapters in the WEB workshop manuals described below are based on information available at the time of publication. The company reserves the right to make updates and modifications. The following are prohibited: reprinting, reproduction, forwarding to unauthorized people and/or third parties, and translation, including partial, without written authorization from Automobili Lamborghini S.p.A.



ASSEMBLING THE REAR COMBINATION LIGHTS

To assemble the light support bracket with the heatproof guard

1. Position the light support bracket with the heat-proof guard (**A-Fig.1**).
2. Secure the 2 top bolts (**B-Fig.1**).
3. Secure the lower screw (**C-Fig.1**).
7. Tighten the 4 screws (**E-Fig.1**) to position the frame (**D-Fig.1**).



The light support bracket with the heatproof guard is secured at the bottom with the screw (**F-Fig.1**) shared with the combination lights: this screw must be secured after the rear combination lights have been assembled.

- Assemble the rear bumper (**080705**).
- Assemble the rear wheels (**060105**).
- Assemble the stone guard (**082105**).
- Assemble the rear combination lights.






Fig.1





® Automobili Lamborghini S.p.A.

The information and procedures published below are strictly confidential and exclusively for the Lamborghini Dealer Network and Authorized Service Points. All copyrights are property of Automobili Lamborghini S.p.A based on copyright law. All of the PDF chapters in the WEB workshop manuals described below are based on information available at the time of publication. The company reserves the right to make updates and modifications. The following are prohibited: reprinting, reproduction, forwarding to unauthorized people and/or third parties, and translation, including partial, without written authorization from Automobili Lamborghini S.p.A.

Assembling the rear combination lights

1. Position the combination lights (**G-Fig.2**) and connect the connection/s (**H-Fig.2**):

-  1 connection for European version
-  2 connections for USA version

2. Reset the 4 striker plates (**L-Fig.3**), screwing them in counter-clockwise.

3. Put the headlight into its seat and align it with the body.

4. Put the 4 screws (**M-Fig.4**) in one at a time and tighten them by hand while paying attention that the combination lights stay aligned with the body.
In this way the striker plates are correctly positioned.

5. Thoroughly tighten the 4 screws (**M-Fig.4**).

6. Check that alignment with the body is correct; if not, repeat the procedure from step 2.

- Assemble the rear grid (**081305**).
- Assemble the rear wheel arch element of the rear wheel arch (**082105**).
- Assemble the rear wheels (**060105**).




Fig.2




Fig.3




Fig.4



® Automobili Lamborghini S.p.A.

The information and procedures published below are strictly confidential and exclusively for the Lamborghini Dealer Network and Authorized Service Points. All copyrights are property of Automobili Lamborghini S.p.A based on copyright law. All of the PDF chapters in the WEB workshop manuals described below are based on information available at the time of publication. The company reserves the right to make updates and modifications. The following are prohibited: reprinting, reproduction, forwarding to unauthorized people and/or third parties, and translation, including partial, without written authorization from Automobili Lamborghini S.p.A.



Assembling the third brake light

1. Connect the connector.
2. Secure the third brake light to the spoiler using the 2 side screws (**A-Fig.5**).
3. Snap in the two covers (**B-Fig.6**).



Fig.5



Fig.6



© Automobili Lamborghini S.p.A.

The information and procedures published below are strictly confidential and exclusively for the Lamborghini Dealer Network and Authorized Service Points. All copyrights are property of Automobili Lamborghini S.p.A based on copyright law. All of the PDF chapters in the WEB workshop manuals described below are based on information available at the time of publication. The company reserves the right to make updates and modifications. The following are prohibited: reprinting, reproduction, forwarding to unauthorized people and/or third parties, and translation, including partial, without written authorization from Automobili Lamborghini S.p.A.



Assembling the rear fog light

1. Position the rear fog light unit (**A-Fig.7**).
 2. Secure the 5 screws (**B-Fig.7**).
- Assemble the rear bumper (**080705**).




Fig.7

www.car60.com



® Automobili Lamborghini S.p.A.

The information and procedures published below are strictly confidential and exclusively for the Lamborghini Dealer Network and Authorized Service Points. All copyrights are property of Automobili Lamborghini S.p.A based on copyright law. All of the PDF chapters in the WEB workshop manuals described below are based on information available at the time of publication. The company reserves the right to make updates and modifications. The following are prohibited: reprinting, reproduction, forwarding to unauthorized people and/or third parties, and translation, including partial, without written authorization from Automobili Lamborghini S.p.A.

DISASSEMBLING THE BULBS

Ref.	Description	Procedure
A.	Brake and parking light	<ol style="list-style-type: none"> Connect the lamp to the connector. Lock the connector catch by pulling towards the base of the lamp. Fit the lamp-holder unit in its housing.
B.	Reverse light	<ol style="list-style-type: none"> Assemble the lamp. Attach the lamp mounting ring nut onto its holder and turn it clockwise to lock it into place.
C.	Indicator light	<ol style="list-style-type: none"> Assemble the lamp. Attach the lamp mounting ring nut onto its holder and turn it clockwise to lock it into place.





Fig.8



® Automobili Lamborghini S.p.A.

The information and procedures published below are strictly confidential and exclusively for the Lamborghini Dealer Network and Authorized Service Points. All copyrights are property of Automobili Lamborghini S.p.A based on copyright law. All of the PDF chapters in the WEB workshop manuals described below are based on information available at the time of publication. The company reserves the right to make updates and modifications. The following are prohibited: reprinting, reproduction, forwarding to unauthorized people and/or third parties, and translation, including partial, without written authorization from Automobili Lamborghini S.p.A.

Ref.	Description	Procedure
D.	Third brake light	<ol style="list-style-type: none">Connect the third brake light connection.Secure the third brake light by tightening the 2 screws under the covers.Position the 2 covers on the third brake light.
E.	Rear fog light	<ol style="list-style-type: none">Assemble the lamp.Attach the lamp mounting ring nut onto its holder and turn it clockwise to lock it into place.




Fig.9