



® Automobili Lamborghini S.p.A.

The information and procedures published below are strictly confidential and exclusively for the Lamborghini Dealer Network and Authorized Service Points. All copyrights are property of Automobili Lamborghini S.p.A based on copyright law. All of the PDF chapters in the WEB workshop manuals described below are based on information available at the time of publication. The company reserves the right to make updates and modifications. The following are prohibited: reprinting, reproduction, forwarding to unauthorized people and/or third parties, and translation, including partial, without written authorization from Automobili Lamborghini S.p.A.



Brake pedal SWITCH adjustment

When the switch has been removed (**092703**), it is possible to increase or decrease the number of trips made by the piston (**A-Fig.1**) (to get the lights to switch on earlier, increase the piston trips by pulling it outwards from the switch; vice versa, to delay the lights switching on, reduce the piston trips by pressing it inwards towards the switch).




Fig.1



® Automobili Lamborghini S.p.A.

The information and procedures published below are strictly confidential and exclusively for the Lamborghini Dealer Network and Authorized Service Points. All copyrights are property of Automobili Lamborghini S.p.A based on copyright law. All of the PDF chapters in the WEB workshop manuals described below are based on information available at the time of publication. The company reserves the right to make updates and modifications. The following are prohibited: reprinting, reproduction, forwarding to unauthorized people and/or third parties, and translation, including partial, without written authorization from Automobili Lamborghini S.p.A.



Brake pedal SWITCH disassembly

Preliminary operations

- Remove the plastic covers on the pedals.

Switch disassembly

1. Disconnect the switch connector (**A**-Fig.1).
2. Turn the switch anticlockwise and extract.




Fig.1

® Automobili Lamborghini S.p.A.

The information and procedures published below are strictly confidential and exclusively for the Lamborghini Dealer Network and Authorized Service Points. All copyrights are property of Automobili Lamborghini S.p.A based on copyright law. All of the PDF chapters in the WEB workshop manuals described below are based on information available at the time of publication. The company reserves the right to make updates and modifications. The following are prohibited: reprinting, reproduction, forwarding to unauthorized people and/or third parties, and translation, including partial, without written authorization from Automobili Lamborghini S.p.A.



Brake pedal SWITCH assembly

1. Pull the switch shaft (**A-Fig.1**) outwards as far as it will go.
2. Insert the switch in the housing on the pedal cluster (cusp-shaped part of the point upwards (**B-Fig.2**), flat part of the point downwards (**C-Fig.2**).
3. Turn the switch clockwise to secure (2 clicks).
4. Connect the connector to the switch (**D-Fig.1**).
5. Carry out the switch adjustment procedure (**092702**).

- Assemble the plastic covers on the pedals.




Fig.1




Fig.2



Fig.2